

Details of Queries/Replies for the month of August, 2020 under RTI Act :

Sl. No.	ID No.	Information sought	Reply/remarks
1	ITPO/RTI/08/01/2020	The applicant sought information regarding India International Convention & Expo Centre, Dwarka, Delhi under the RTI Act 2005.	Since the applicant sought information pertains to your office, the said RTI application is being transferred to CPIO, Ministry of Commerce, Department for Promotion of Industry and Internal Trade New Delhi, u/s 6(3) of the RTI Act, 2005 for furnishing the requisite information, as per RTI Act, 2005, directly to the applicant
2	ITPO/RTI/08/02/2020	HOW MANY BOOTHS IN TOTAL UNDER ITPO IN LIMA PERU SHOW 2020 NUMBER OF PARTICIPANTS THROUGH ITPO WITH COMPANY NAME COMPANY ADDRESS CONTACT NUMBER PAYMENT DETAILS NAME OF THE PERSON (WHO REPRESENTED THE COMPANY) WHICH PROCEDURE WAS FOLLOWED DURING THE ALLOTMENT OF BOOTH WAS IT FIRST CUM FIRST BASIS, CHOICE BY FAIR IN CHARGE OR ANY OTHER CRITERIA KINDLY PROVIDE WITH FLOOR PLAN	Seventy (70) 27 Participants. Photocopy (07 pages) List of participants with payment details is being send to you for information. First cum first serve basis. Photocopy (01 page) Allotment of Booth for India Show, Peru with Floor Plan is being send to you for information.
3	ITPO/RTI/08/03/2020	AS PER GUIDELINES CORNER BOOTH TO BE ALLOTTED FOR THE MINIMUM SIZE 12 SQ MTR BUT IN EXHIBITION GROUND THERE WERE MANY CORNER BOOTHS OF LESS THEN 12 SQ MTR WHAT WAS REASON BEHIND THIS AND WHY DID NOT THE EXHIBITORS INFORMED OF THIS RETAIL SALE PERMISSION FOR THE SHOW WAS TAKEN BY WHICH COMPANY KINDLY PROVIDE RETAIL SALE PERMISSION DOCUMENTS OR ANY RELEVANT DOCUMENTS INDIAN PAVILION THEME WAS NOT DONE INSIDE THE HALL BY ITPO WHAT WAS THE REASON HOW MANY ITPO OFFICIALS TRAVELED FOR THE INDIA PERU SHOW ITPO WAS THE MAIN ORGANIZER OF INDIA PERU SHOW THEN WHY OTHER COUNCILS SOLD THERE BOOTHS IN SAME SHOW CHEAPER THEN ITPO DOES ITPO TAKE ANY PICTURES OF THE SHOW FOR THERE RECORD IF ANY PLEASE PROVIDE	<ul style="list-style-type: none"> ➤ Booths were prepared as per requirement of the participants and availability of the area. Booths of bigger size are given natural first preference for corner booths. However, there are no such guidelines that corner booth to be allotted for the minimum size of 12 sqm. Only. Photocopy (08 pages) of Fact Sheet is being send to you for your information. ➤ The Importer on record was part of C&D tender. The C&D tender was awarded to:- M/s. Alica Purple Advertising Pvt. Ltd. 701-706, Shree Kedarnath Opp. Gokul Anand Hotel, Western Express Highway Dahisar (East) Mumbai-400068 Tel: 022-28920471 / 022-28924906 Email: alica.purpl@gmail.com <p>The C&D agency in turn appointed the Importer on Record M/s. Rudraksha, AV Emesto Does Canseco, 487 Dept 904, Peru Lima. Photocopy (03 pages) is being send to you for your information.</p>

			<ul style="list-style-type: none"> ➤ A theme on “150 years of celebrating the Mahatma” was put up inside India Pavilion. Photocopy (02 pages) is being send to you for your information. Photocopy (01 pages) layout plan is being send to you for your information. ➤ Five (05) Officials were deputed for India Show Peru March 2020. <ol style="list-style-type: none"> 1. Sh. A.K. Vashist, Ex-GM 2. Sh. R.P. Pareek, Sr. Manager 3. Sh. R.K. Gandhi, Dy. Manager 4. Sh. Rahul Bhatia, Dy. Manager 5. Sh. Sanjeev Kumar, Sr. Steno ➤ ITPO can ensure its own pricing. The applicant may get in touch with the other council directly regarding this. <p>Photocopy (09 pages) Photographs of India Pavilion is being send to you for your information.</p>
4.	ITPO/RTI/08/04/2020	KINDLY PROVIDE THE COMPLETE DETAILS OF THE COMPANY WHO GOT THE TENDER FROM THE ITPO REGARDING RETAIL SALE (SALE TAX)PERMISSION CHARGES IN INDIA PERU SHOW 2020	<p>Facilitation fee (for payment and compliance of VAT/VVAT/Customs Duty Applicable in Peru) was part of C&D tender. Complete details of the company who got the tender from the ITPO for India Show Peru 2020.</p> <p>M/s. Alica Purple Advertising Pvt. Ltd. 701-706,Shree Kedarnath, Opp. Gokul Anand Hotel Western Express Highway Dahisar (East) Mumbai-400068 Tel: -22-28920471 / 022-28924906 Email:- alica.purpl@gmail.com</p> <p>Photocopy (01 page) work order is being sent to you for information.</p>
5	ITPO/RTI/08/05/2020	<p>Kindly inform the total area available in the above said parking lot.</p> <p>Kindly inform the park-able area available in the above said parking lot.</p> <p>Kindly inform the non-park-able area in the above said parking lot.</p> <p>An experience certificate has been issued to M/s. New Urban Solution in the month of June/July 2020 in respect of the operation of the above said parking lot by them indicating therein capacity of parking the vehicles in particular numbers for Truck /Cars in it. Kindly provide a photocopy of the same.</p>	<p>The total area available in the said parking lot, as per survey report of L&DO, is 7.47 acre approximately. (Copy of Survey Report enclosed for your reference please)</p> <p>No information as such is available. The allotment of parking is done on “As and Where Basis”.</p> <p>No information as such is available. The allotment of parking is done on “As and Where Basis”.</p> <p>No such certificate has been issued to M/s New Urban in the month of June/July 2020.</p>

		<p>Kindly inform the name of the person who has measured the above area and calculated the capacity of the vehicles for parking in the above said parking lot. Also provide the calculations.</p> <p>In case, parking lot is issued on 'As and where basis' and without mentioning the area / capacity of the vehicles in the tender document / agreement, can ITPO can issue the certificate of total area / capacity of vehicles. If yes, kindly confirm the following:</p> <p>a. On what basis and documents.</p> <p>b. Area covered by car (in sq.mtr.) for calculating the capacity of vehicles</p> <p>c. Area covered by Truck (in sq.mtr.) for calculating the capacity of vehicles</p> <p>d. Area left between two vehicles while parking the vehicles in the parking lot for calculating the capacity of vehicles.</p> <p>e. While providing the certificate for capacity of vehicles, area for movement / passing through while entry and exit for smooth functioning is taken care or not.</p>	<p>No information as such is available. The total area, as per survey report of L&DO is 7.47 acre approximately. (Copy of Survey Report enclosed for your reference please)</p> <p>As the tender is based on "As and where basis", therefore, such certificate is not issued.</p>
6	ITPO/RTI/08/06/2020	In case any experience / capacity of vehicles certificate mentioning the capacity is issued to the parking contractor (New Urban Solution) with wrong calculation / without any basis, inadvertently by the Civil Department, ITPO, can ITPO withdraw that certificate and what are steps for withdrawing it kindly inform.	No such certificate has been issued to M/s New Urban Solution.
7	ITPO/RTI/08/07/2020	<p>Information regarding the technology and evacuation strategy of people trapped in fire once the smoke curtains are operated</p> <p>Whether there is an escape route through smoke curtains, or the whole curtain has to be lifted in order to evacuate people, as lifting the whole curtain will spread the smoke and fire?</p> <p>Whether automatic smoke curtains are being used? If yes, what is the drop speed of the automatic smoke curtains and how many times can they operate continuously in order to evacuate the people and at the same time restrict the spread of smoke and fire?</p> <p>At what length/height are the motors to operate these automatic smoke curtains installed?</p>	Smoke Curtains are not installed at ITPO.
8	ITPO/RTI/08/08/2020	Copy of Letter No. 5-ITPO(3)/E.I/2012 dated 31.05.2013	Attached (1pg)
		Copy of Letter No. 5-ITPO(3)/E.I/2012 dated 10.09.2013	Attached (1pg)
		Copy of Letter No. 5-ITPO(3)/E.I/2012 dated 15.10.2013	Attached (1pg)
		Copy of Letter No. 5-ITPO(3)/E.I/2012 dated 27.01.2014	Attached (1pg)

		Copy of the relevant approved note file and working details in respect of the above letters from 01.04.2013 to till date.	Attached (25pgs)
--	--	---	------------------