

India Trade Promotion Organisation

Pragati Bhawan, Pragati Maidan, New Delhi – 110 001

Tel.: 91-11-23371540 (EPABX), Fax: 91-11-23371492, 91-11-23371493

E-mail: info@itpo.gov.in, Website: <http://indiatradefair.com>

PUBLIC SAFETY MEASURES AND DESIGN GUIDELINES

India International Trade Fair (IITF) 2023, Pragati Maidan, New Delhi

I. SHELL SCHEME:

1. No Part/feature/branding/projection/furniture should go beyond 3.0m.

II. BARE SCHEME:

A. Guidelines:

1. Dimensions allotted should strictly be followed.
2. Maximum Height restrictions:
 - a. Rear/back wall or wall adjoining stall should not be more than 3.0m.
 - b. General height of stall including display aids/lights etc. should not exceed 3.0m.
 - c. Feature/logo/branding can go uptill the height of 4.5m (feature/branding should not be on entire side wall and should be central feature only).
 - d. **In Hangars:** Rear/back wall or wall adjoining stall should not be more than 2.4m.
3. In State/Ministry pavilions, the internal passages should be planned aligned with the general passages for proper public flow and no construction is to be done below any of the Smoke Curtains.
4. Walls adjoining stall shall be finished properly (from outer side) and no branding allowed on this side. No structural support shall be taken from neighbouring stalls.
5. Outer face of rear/side wall should be properly finished.
6. Sides facing passage should be transparent or translucent.
7. Fire retardant paint is to be compulsorily used on wooden/ thatch/fabric members.
8. Peripheral passage should NOT be occupied by the participant for any purpose.
9. Locations where Sill Height is less than 0.75m, use only Toughened/Laminated safety glass or provide residual protection. In Horizontal or sloped glazing or glass used as railing or parapet, only Laminated safety glass to be used. Clear glass panels should be marked to make them visible.
10. Construction of mezzanine is NOT allowed in IITF 2023.

III. All relevant guidelines of other ITPO Divisions should be followed.