GOVERNMENT OF INDIA

INDIA TRADE PROMOTION ORGANISATION

NOTICE INVITING TENDER

Item rate/percentage rate tenders are invited on behalf of the CMD, ITPO from approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S., Railways up to 3.00 PM on 16.06.2014, which will be opened on the same day by him (or) his authorized representative at 3.30 PM for the work of R/M and upkeep of ITPO Premises at Pragati Maidan during 2014-15, SH. Repairing of plaster at Hall No. 1 to 6, Gate complex No. 1,2 &11 including the ceiling plaster of Hall No.1 and repair & pointing of red sand stone flooring at Lal Chowk

The enlistment of the contractors should be valid on the last date of sale of tenders.

In case only the last date of sale of tender is extended, the enlistment of contractor should be valid on the original date of sale of tenders.

In case both the last date of receipt of application and sale of tenders are extended, the enlistment of contractor should be valid on either of the two dates i.e. original date of sale of tender or on the extended date of sale of tenders.

- 1.1 The work is estimated to cost Rs. 7,75,196/- This estimate, however, is given merely as a rough guide.
- 1.1.1. The authority competent to approve NIT for the combined cost and belonging to the major disciple will consolidate NITs for calling the tenders. He will also nominate Division which will deal with all matters relating to the invitation of tenders.
 - For composite tender, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of tenderer will correspond to the combined estimated cost of different components put to tender.
- 1.2 Tenders will be issued to eligible contractors provided they produce definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-
 - 1.2.1 Conditions for Non CPWD contractors only, if tenders are also open to non-CPWD contractors.

For works estimated to cost up to Rs.15 Crore. – not applicable for this work.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 50% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs.10 lac) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

Note: For works costing above Rs. 3 crore but up to Rs. 15 crore, when tenders are open to non- CPWD contractors also, then class II contractors of CPWD shall also be eligible if they satisfy the eligibility criteria specified in 1.2.1 above.

1.2.2 Criteria of eligibility for CPWD as well as on- CPWD contractors.

For works estimated to cost above Rs. 15 crore. – not applicable for this work

Three similar works each of the value not less than 40% of estimated cost of two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 10 lac) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of applications for tender

- 1. Agreement shall be drawn with the successful tenderer on prescribed Form No. C.P.W.D. 7/8 which is available as a Govt. of India publication. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 2. The time allowed for carrying out the work will be 45 days from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- **3.** The site for the work is available.

OR

The site for the work shall be made available in parts as specified below:

- 4. Applications for issue of forms shall be received by Manager (Civil) upto 3.00 PM and tender documents shall be issued by Manager (Civil) upto 4.00 PM. Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be compiled with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the Manager (Civil) between hours of 11.00 A.M. & 03.00 P.M. from 04.06.2014 to 16.06.2014 everyday except Saturday, Sundays and public Holidays. Tender documents excluding standard form, will be issued from his office, during the hours specified above, on payment of as per NIT in cash as cost of tender.
- 5. (i) Tenders shall be accompanied with Earnest money of Rs. 15,550/-in cash (upto Rs.10000) demand draft of a scheduled bank issued in favour of India Trade Promotion Organisation, New Delhi. 50% of earnest money or Rs.20 lakh, whichever is less, will have to be deposited in the shape prescribed above and balance amount of earnest money can be accepted in the form of Bank guarantee issued by a scheduled bank having validity for 6 months or more from the last date of receipt of tenders.
 - ii) The tender and the earnest money shall be placed in separate sealed envelopes, each marked "Tender" and "Earnest Money" respectively. In cases where earnest money in cash is acceptable, the same shall be deposited with the Cash section of ITPO and the receipt placed in the envelope meant for earnest money. Both the envelopes shall be submitted together in another sealed envelope with the name of work and due date of opening written on envelope, which will be received by the Manager (Civil) upto 3.00 P.M. on 16.06.2014 and will be opened by him or his authorised representative in his office on the same day at 3.30 P.M. The envelope marked "Tender" of only those tenderers shall be opened, whose earnest money, placed in the other envelope, is found to be in order.

- 6. The Contractor whose tender is accepted, will be required to furnish performance guarantee of 5% (Five percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount if less than Rs.10,000/-) OR Demand Draft of any scheduled bank/Pay order of any scheduled bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed from. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 7. The description of the work is as follows:

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- **8.** The competent authority on behalf of the CMD, ITPO does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **9.** Canvassing whether directly or indirectly, in connection with tenders if strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **10.** The competent authority on behalf of CMD, ITPO reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 11. No Engineer of gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

- 12. The tender for the works shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders/Ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelope system (strike out as the case may be) if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the re-tendering process of the work.
- **13.** This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The notice inviting tender, all the documents including additional conditions, specification and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - **b)** Standard C.P.W.D. Form 7/8

Udaeveer Manager (Civil)

CPWD-7/8

GOVERNMENT OF INDIA CENTRAL PUBLIC WORKS DEPARTMENT

STATE: D	Delhi		CIRCLE		SMU-I
BRANCH	: Engg.		DIVISIO	N:	MCU-I
ZONE	Head office, D	elhi	SUB DIV	ISION:	DMU-II
	Per	rcentage Rate Tende	r/ <u>Item Rate Ten</u>	der & Contrac	et for Works
Tender for th SH.	ne work of:	Repairing of plaste	r at Hall No. 1 to	o 6, Gate com	gati Maidan during 2014-15 plex No. 1,2 &11 including the g of red sand stone flooring at
(i)To be submi	itted	3.00 p.m. (Time)	Hours on	16.06.201 (Date)	4
•	-	tenderers, who may b (Udaeveer) at Pragati	•	3.30 p.m. Delhi	Hours on
Issued to:		(Contractor)			
_	fficer issuing the danager (Civil)	documents			
Date of issue: Estimated C	Cost	13.06.2014 Rs. 7,75,			

TENDER

Rs.15,550/-

Earnest Money

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F, Specifications applicable, drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule – 1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect in accordance with, such conditions so far as applicable.

We agree to keep the tender open for sixty (90) days from the due date of its opening and not to make any modifications in its terms and conditions.

A sum of **Rs 15,550**/- has been deposited as per NIT as earnest money. If I/we, fail to furnish the prescribed performance guarantee within prescribed period, I/we agree that the said President of India or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/we fail to commence work as specified, I/we agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of earnest money or both Earnest Money & Performance Guarantee as aforesaid, I/We shall be debarred for participation in the retendering process of the work.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall no communicate information/derived there from to any person other than a person to whom I/we am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated	Signatures of Contractor
	Postal Address
Witness:	
Address:	
Occupation:	
ACCEPTANCI	E
The above tender (as modified by you as provided in the letters rebehalf of the President of Rs(Rupees	India for a sum of
The letters referred to below shall form part of this contract Agreen (1) Schedule of Quantities, NIT (2) Additional Conditions. (3) Wages for workers (4) Performa for Agreement and drawing of staircase	nent:-
(1) I vizerina ivi i igrovinom and ana ving er eamitouse	For & on behalf of CMD, ITPO
	Signature
Dated	Designation

ITPO

SCHEDULES

SCHEDULE 'A'

Schedule of quantities Enclosed

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which The material will be charged to the Contractor	Place of issue
2.	2	3	4	5

NIL

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of issue	
1.	2.	3	4	

NIL

SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any.

-N/A

SCHEDULE 'E'

Schedule of component of Cement, Steel, other materials, Labour etc. for price escalation.- Nil

CLAUSE 10 CC

Component of Cement – expressed as percent of total value work.

N/A

Component of Steel-expressed as percent of total work.

N/A

Component of civil (except cement & steel)/Electrical construction

N/A

Materials-expressed as percent of total value of work.

Component of labour-expressed as per cent of total value of work.

N/A

Component of P.O.L. – expressed as percent of total value work.

N/A

SCHEDULE 'F'

Reference to General Conditions of contract.

Name of work: R/M and upkeep of ITPO Premises at Pragati Maidan during 2014-15

SH. Repairing of plaster at Hall No. 1 to 6, Gate complex No. 1,2 &11 including the ceiling plaster of Hall No.1 and repair & pointing of red sand stone flooring at Lal Chowk

(i) Estimated cost of work Rs. 7,75,196/-

(ii) Earnest money: Rs. 15,550/-

(iii) Performance Guarantee 5% of tendered value

(iv) Security Deposit 5% of tendered value

General Rules & Directions:

Officer inviting tender Manager (Civil) Maximum percentage for quantity of items of work to be executed beyond Which rates are to be determined in accordance with Clauses 12.2 & 12.3 100% **Definitions** 2(v) Engineer-in-Charge Manager (Civil) 2(viii) Accepting Authority As per DFPR Sch. V of ITPO 2(x) Percentage on cost of materials and 15% Labour to cover all overheads and profits. 2(xi) Standard Schedule of Rates DSR-2012 & market rates 2(xii) Department ITPO (Engg.) Standard CPWD contract Form CPWD form 7/8 as modified & corrected upto date 9(ii) Clause 1 (i) Time allowed for submission of Performance Guarantee 7 From the date of issue of letter of acceptance days (ii) Maximum allowable extension beyond the period (Provided in i) above 7 days Clause 2 Authority for fixing compensation under clause 2. GM (W) Clause 2A Whether clause 2A shall applicable No Clause 4A Whether Modified provisions are applicable for percentage rate tender only (CPWD-7) - Not applicable Clause 5 Number of days from the date of issue of letter Acceptance for reckoning date of start 4 days

Mile stone(s) as per table given below:

Table of Mile Stone(s)

Sl.	Description of	Time allowed in days	Amount to be withheld in case of non
No.	Milestone(Physical)	(from date of start)	achievement of milestone
1.	1/8 th (of the whole work)	1/4 th (of the whole work)	In the event of not achieving the necessary progress as assessed from the running payments, 1% of the tendered value of work will be withheld for failure of each mile stone.
2.	3/8 th (- do -)	½ (- do -)	
3.	3/4 th (-do-)	3/4 th (-do-)	
4.	Full	Full	

			of each mile stone.	
2.	3/8 th (- do -)	½ (- do -)		
3.	3/4 th (-do-)	3/4 th (-do-)		
4.	Full	Full		
Time	allowed for execution	n of work	45 days	
	se 6, 6A se applicable – (6 or 6 <i>A</i> se 7	A)	Clause	6A
or ad for be		ther with net payment/adjustrected, if any since the last such payment		
List o	of testing equipment to	be provided by the contracto	r at site lab.	
•	er the site requirement and see 10 B (ii)	and as per direction of Engin	eer Incharge	
Whet	ther Clauses 10 B (ii) s	hall be applicable	No	
Claus	se 10CA			
Mate	rials covered under this	s clause Nearest Material fo Followed	r which All India Wholesale Price In	idex is to be
1		NA		
2				
3.				
				

Clause 10CC

Clause 10CC to be applicable in contracts with stipulated period of

Completion exceeding the period show in text column 18 months

Clause 11

Specification to be followed for execution of work CPWD Specifications 2010, Part I & II with

Up-to-date correction slips.

Clause 12

Deviation limit beyond which clauses 12.2 & 12.3 shall

Apply for building work 100%

Deviation limit beyond which clauses 12.2. & 12.3

Shall apply for foundation work 50%

Clause 16

Competent Authority for deciding reduced rates.

DGM (C)

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

As per the site requirement and as per direction of Engineer Incharge

Clause 36(i)

S.N.	Minimum qualification of Technical Representative	Discipline	Designation (Principal Technical/Tech nical representative)	Minimum experience	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)
						Figures Words
1.	Graduate Engineer Or	Civil	Principal Technical	Nil	1	15,000/- (Rupees fifteen thousand only) per month
2.	Diploma Holder			5 years	1	

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

CLAUSE 42

(i)(a) Schedule/statement for determining theoretical quantity of cement & Bitumen on the basis of Delhi Schedule of Rates DSR 2007 printed by C.P.W.D.

(ii) Variations permissible on theoretical quantities.

a) Cement for works with estimated cost put to Tender not more than Rs. 5 Lakhs 3% plus/minus

For works with estimated cost put to tender More than 5 Lakhs

2% plus/minus

b) Bitumen for all works

2.5% plus only & nil on minus side

c) Steel Reinforcement and structural steel Sections for each diameter, section and category 2% plus/minus

d) All other materials

Nil

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S.No.	Description of Item	Rates in figures and words at which recovery shall be made from the contractor	
		Excess beyond permissible variation	Less use beyond the permissible variation
1.	Cement		5800/-ton L &T, ACC, Laxshmi
2.	Steel reinforcement		Cement, CCI, Birla
3.	Structural Sections		Uttam or equivalent if applicable
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed price		

-13-

INDIA TRADE PROMOTION ORGANISATION Engineering division

No. 180-ITPO-MCU-I/misc. /Engg/2014-15 **Dated: 04.06.2014**

BRIEF NOTICE INVITING TENDER

The Manager (Civil), ITPO invites sealed **percentage rate** tenders for the following works from approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S., and Railways, details of which briefly described hereunder.

S.N	Name of work	Time for	Estimated	Earnest	Cost of
		Completion	Cost	Money	Tender
1.	Up gradation of Gate No. 8 -A	60 days	13,36,187/-	28,750/-	525/-
2.	Repairing of plaster at Hall No. 1 to 6, Gate complex No. 1,2 &11 including the ceiling plaster of Hall No.1 and repair & pointing of	-	7,75,196/-	15,550/-	525/-
	red sand stone flooring at Lal Chowk				
3.	Repairing of existing boundary wall around Pragati Maidan	45 days	6,33,273/-	12,700/-	525/-
4.	Repairing work at Service Station No. 5 near Hall No. 14, CPWD Office Complex at Meena Bazaar i/c AC Plant Room		6,47,200/-	13,000/-	525/-

The period of sale of tender document is kept from **11.00 AM to 3.00 PM** on all working days **up to 13.06.2014** with date of opening at **3.30 PM on 16.06.2014**. For further details including downloadable form of tender documents, please refer website www.indiatradefair.com & www.

(Udaeveer) Manager (civil)

14

INDIA TRADE PROMOTION ORGANISATION Engineering Division

No. 180-ITPO-MCU-I/misc. /Engg/2014-15 **Dated: 04.06.2014**

PRESS TENDER NOTICE

The Manager (Civil), Engineering Division, Room No. 141, India Trade Promotion Organisation, Pragati Maidan, New Delhi on behalf of CMD, ITPO **invites sealed percentage rate tenders** for the following works from approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S. and Railways up to 3.00 PM on 16.06.2014, which will be opened on the same day by him (or) his authorized representative at 3.30 PM.

S.N	Name of work	Time for	Estimated	Earnest	Cost of
		Completion	Cost	Money	Tender
1.	Up gradation of Gate No. 8 -A	60 days	13,36,187/-	28,750/-	525/-
2.	Repairing of plaster at Hall No. 1 to 6, Gate complex No. 1,2 &11 including the ceiling plaster of Hall No.1 and repair & pointing of red sand stone flooring at Lal Chowk	_	7,75,196/-	15,550/-	525/-
3.	Repairing of existing boundary wall around Pragati Maidan	45 days	6,33,273/-	12,700/-	525/-
4.	Repairing work at Service Station No. 5 near Hall No. 14, CPWD Office Complex at Meena Bazaar i/c AC Plant Room		6,47,200/-	13,000/-	525/-

Earnest Money should be deposited through Bank Draft drawn in favour of India Trade Promotion Organisation payable at New Delhi (or) cash deposited with the Cashier in Cash Section of ITPO (less than 10,000/-) and Bank Draft/Cash Receipt to be sent with the tender document, while submitting the same.

Conditions and tender forms can be had from the office of the undersigned on production of PAN NO., TIN NO and Service Tax No. (if applicable), copy of D-vat & Service Tax return/clearance certificate upto date of last quarter between 11.00 AM to 3.00 PM on all working days up to 13.06.2014 for the tender cost mentioned as above (Non Refundable).

The tender document is also available on our website www.indiatradefair.com www.eprocure.gov.in and same can be down loaded and used as tender document for submitting the tender. However, the documents required such as two DDs towards Cost of Tender and Earnest money (Demand Draft should be in favour of India Trade Promotion Organisation, payable at New Delhi) should be enclosed in one envelop to be marked "Cost of tender & Earnest money" as well as Registration with the department as mentioned above, PAN Number, TIN Number, Service Tax Number and copy of D-vat & Service Tax return/clearance certificate upto date of last quarter should be enclosed in another second envelope to be marked "Eligibility Bid". The Financial bid and schedule of quantities is to be submitted in separate envelopes marked "Financial Bid for......", for each work specified in the table above.

These envelopes i.e., "Cost of tender & Earnest Money", "Eligibility Bid" and "Financial Bids" should be put in one envelop, properly sealed and submitted to Manager (Civil), Room No.141.

The Financial bids will be opened only of those agencies qualified to tender as per the eligibility criteria. In case the tender is not accompanied with the above and tender does not qualify as per the eligibility criteria, the tender will summarily rejected.

(UDAEVEER) Manager (civil)

15 SCHEDULE OF QUANTITIES

Name of work: R/M and upkeep of ITPO Premises at Pragati Maidan during 2014-15

SH.: Repairing of plaster at Hall No. 1 to 6, Gate complex No. 1,2 &11 including the ceiling plaster of Hall No.1 and repair & pointing of red sand stone flooring at

Lal Chowk

SLNo	Description	Qty	Unit	Rate	Amount
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
1.1	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	6	cum	4921.70	29530.00
1.2	1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	5	cum	4408.55	22043.00
2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement:		cam	1100.33	220 13.00
2.1	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	6	cum	5923.15	35539.00
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.			000000	
3.1	Cold twisted bars	150	kilogram	66.50	9975.00
4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
4.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	4	cum	4646.50	18586.00
5	40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1cement : 5 coarse sand) with joints finished flush.	-	cum	7040.30	10300.00
5.1	Red sand stone	250	Sqm	521.20	130300.00
5.2	White sand stone	60	Sqm	546.75	32805.00
6	40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone.				
6.1	White sand stone	25	Sqm	639.80	15995.00
7	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete.		34		
7.1	Size of Tile 600x600 mm	18	Sqm	1402.55	25246.00
8	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.		- 4		
		25	each	167.45	4186.00
9	12 mm cement plaster of mix :				
9.1	1:6 (1 cement: 6 fine sand)	640	Sqm	133.85	85664.00
10	15 mm cement plaster on the rough side of single or half brick wall of mix :				
10.1	1:6 (1 cement: 6 fine sand)	60	Sqm	154.70	9282.00
11	12 mm cement plaster of mix :				
11.1	1:6 (1 cement: 6 coarse sand)	450	Sqm	142.25	64013.00

13. 18 mm thick plain cement mortar band in cement mortar 1:4 (1 cement : 4 fine sand): 13.1 Raised Band 200 cm per metre 4.35 870.00 14. Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand): 14.1 Flush/ Ruled pointing 700 Sqm 137.85 96495.00 15. Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cuting the patch in proper shape, raking out joints and prepaning and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: 15.1 With cement mortar 1:4 (1cement: 4 coarse sand) 16. Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in charge. 16.1 Nominal concrete 1:3-6 or richer mix (i/c equivalent design mix) 17. Dismartling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 18. Dismartling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 19. Making chases up to 7,5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 19. Making chases up to 7,5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20. Providing and laying water proofing restment in sunken portion of W.Cs., bathroom etc., by applying cement surry mixed with water proofing cement compound consisting of applying : a) First layer of Surry of cement @ 0,042 kg/sgm mixed with water proofing cement compound @ 0,126 kg/sgm. This layer will be allowed to air cure for 4 hours. So loce on the surface from pragati Maidan Polaphyer : a) First layer of Surry of cement @ 0,042 kg/sgm mixed with water proofing cement compound @ 0,126 kg/sgm. This layer will be allowed to air cure for 4 hours. So loce on the surface from pragati Maidan Polaphyer : a) First layer of Surry	12	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand).	250	Sqm	215.40	53850.00
Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand): 14.1 Flush/ Ruled pointing 15. Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering in the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: 15.1 With cement mortar 1:4 (1 cement: 4 coarse sand) 16. Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. 16.1 Noninal concrete 1:3.6 or richer mix (l/c equivalent design mix) 17. Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 18. Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 18. Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 19. Making chases up to 7.5x7.5 min walls including making good and finishing with matching surface after housing G.I. pipe etc. 20. Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement surry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm, This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.428 kg/sqm mixed with water proofing cement compound @ 0.238 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.206 kg/sqm, This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing treatment with water pro	13	· ·	250	Jqiii	213.40	33030.00
14.1 Flush/Ruled pointing 700 Sqm 137.85 96495.00 Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: 15.1 With cement mortar 1:4 (1cement: 4 coarse sand) 70 Sqm 231.85 16230.00 16 Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in charge. 16.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) 1 cum 806.35 806.00 17 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 100 Sqm 39.75 3975.00 18 Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 19 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement sturry mixed with water proofing cement compound consisting of applying; : a) First layer of slurry of cement @ 0.428 kg/sqm mixed with water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement surry mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.428 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water proofing treatment with 2 Grading roof for water proof	13.1	Raised Band	200	· ·	4.35	870.00
Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: 15.1 With cement mortar 1:4 (1cement: 4 coarse sand) 16 Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in charge. 16.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) 17 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 18 Dismantling old plaster or skirring raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 19 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, batroom etc., by applying cement compound @ 0.253 kg/sgm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.428 kg/sgm mixed with water proofing cement compound @ 0.254 kg/sgm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sgm mixed with water proofing cement compound @ 0.25 kg/sgm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sgm mixed with water proofing cement compound @ 0.254 kg/sgm. This layer will be allowed to air cure for 4 hours followed with water proofing cement compound @ 0.254 kg/sgm. This layer will be allowed to air cure for 4 hours followed with water proofing cement compound @ 0.254 kg/sgm. This layer will be allowed to air cure for 4 hours followed with water proofing cement compound @ 0.254 kg/sgm. This layer will be allowed to air cure fo	14	Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand) :				
Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: 15.1	14.1	Flush/ Ruled pointing	700	Sgm	137.85	96495.00
Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. 16.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) 1 cum 806.35 806.00 17 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 100 Sqm 39.75 3975.00 18 Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 19 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement surry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sgm mixed with water proofing cement compound @ 0.126 kg/sgm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sgm mixed with water proofing cement compound @ 0.126 kg/sgm. This layer will be allowed to air cure for 4 hours followed with water uring for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 10 Sqm 255.00 2550.00 21 Grading roof for water proofing treatment with 22 cum 7308.70 14617.00 23 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 12 mercent plaster in ceiling of mix 1: 4 (1 cement : 4 fine sand) 400 Sqm 147.50 59000.00	15	meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete,		·		
Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. 16.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) 1 cum 806.35 806.00 17 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 100 Sqm 39.75 3975.00 18 Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 19 Making chases up to 7:5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 21 Grading roof for water proofing treatment with 22 cum 7308.70 14617.00 23 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1: 4 (1 cement :4 fine sand) 400 Sqm 147.50 59000.00	15.1	With cement mortar 1:4 (1cement: 4 coarse sand)	70	Sgm	231.85	16230.00
Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 17.1 For thickness of tiles above 25 mm and up to 40 mm 100 Sqm 39.75 3975.00 18 Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 1300 Sqm 18.15 23595.00 19 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement surry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 21 Grading roof for water proofing treatment with 22 Cum 7308.70 14617.00 23 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1: 4 (1 cement: 4 fine sand) 400 Sqm 147.50 59000.00	16	disposal of material within 50 metres lead as per direction of Engineer - in -				
Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 7.1 For thickness of tiles above 25 mm and up to 40 mm Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 10 Sqm 255.00 2550.00 21 Grading roof for water proofing treatment with 22. cum 7308.70 14617.00 23 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 kM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1 : 4 (1 cement : 4 fine sand) 400 Sqm 147.50 59000.00	16.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1	cum	806.35	806.00
Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 1300 Sqm 18.15 23595.00 19 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. 20 Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 10 Sqm 255.00 2550.00 21 Grading roof for water proofing treatment with 21.1 Cement mortar 1:4 (Icement: 4 coarse sand) 2 cum 7308.70 14617.00 22 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1: 4 (1 cement: 4 fine sand) 39. Cum 205.45 18491.00	17	_				
for plaster including disposal of rubbish to the dumping ground within 50 metres lead. 1300 Sqm 18.15 23595.00 Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 10 Sqm 255.00 2550.00 21 Grading roof for water proofing treatment with 21.1 Cement mortar 1:4 (1cement: 4 coarse sand) 2 cum 7308.70 14617.00 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 12 12 mm cement plaster in ceiling of mix 1: 4 (1 cement: 4 fine sand) 23 12 mm cement plaster in ceiling of mix 1: 4 (1 cement: 4 fine sand) Total	17.1	For thickness of tiles above 25 mm and up to 40 mm	100	Sqm	39.75	3975.00
Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc. Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 10 Sqm 255.00 2550.00 21 Grading roof for water proofing treatment with 21.1 Cement mortar 1:4 (1cement: 4 coarse sand) 2 cum 7308.70 14617.00 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 1 2 mm cement plaster in ceiling of mix 1: 4 (1 cement: 4 fine sand) 400 Sqm 147.50 59000.00	18	for plaster including disposal of rubbish to the dumping ground within 50	1200	Sam	19.15	22505.00
Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. 21 Grading roof for water proofing treatment with 22. cum 7308.70 14617.00 23 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1 : 4 (1 cement : 4 fine sand) 24 Total	19					
Grading roof for water proofing treatment with 21.1 Cement mortar 1:4 (1cement : 4 coarse sand) 2 cum 7308.70 14617.00 2 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 3 12 mm cement plaster in ceiling of mix 1 : 4 (1 cement : 4 fine sand) 400 Sqm 147.50 59000.00	20	bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer	10	Sam	355.00	2550.00
21.1 Cement mortar 1:4 (1cement : 4 coarse sand) 2 cum 7308.70 14617.00 22 Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 30 Cum 205.45 18491.00 21 21 mm cement plaster in ceiling of mix 1 : 4 (1 cement : 4 fine sand) 400 Sqm 147.50 59000.00	21	Grading roof for water proofing treatment with	10	Sqm	255.00	2550.00
Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction of Engineer Incharge 23 12 mm cement plaster in ceiling of mix 1 : 4 (1 cement :4 fine sand) Total Total			2	01:	7200.70	14617.00
23 12 mm cement plaster in ceiling of mix 1 : 4 (1 cement :4 fine sand) 400 Sqm 147.50 59000.00		Removal of malaba, building rubbish, mooram etc. by mechanical transport from Pragati Maidan Premises for dumping the same at dumping ground outside with all lift & lead upto 15 KM etc. complete and as per the direction				
Total 400 Sqm 147.50 59000.00	23	12 mm cement plaster in ceiling of mix 1 : 4 (1 cement :4 fine sand)				
			400	sqm	147.50	

Note- The rates should be quoted exclusive of service tax as applicable

Manager (CIVIL) MANAGER (Civil)

INDIA TRADE PROMOTION ORGANISATION (Engineering Division)

CORRIGENDUM TO FORM 7/8/9 (CPWD) MUST BE READ ALONGWITH THE PAMPHLET

S.No.	FOR	READ
1.	Government of India	India Trade Promotion Organisation
2.	C.P.W.D. or Government	India Trade Promotion Organisation
3.	CPWD -7/8/9	CPWD 7/8/9
4.	President/President of India	C.M.D ITPO
5.	Chief-Engineer	General Manager (Works)
6.	Superintending Engineer	Dy. General Manager (Civil)/SM (Civil)
7.	Engineer-in-charge/Divisional	Manager (Civil)
	Engineer/Executive	
	Engineer/Divisional Office	
8.	Sub-Divisional Officer/Asstt. Engineer	Deputy Manager (Civil)
9.	Administration Head	C.M.D. /General Manager
10.	Ministry of Works & Housing	ITPO /Ministry of Commerce
11.	CPWD Code, Paragraph'90	Shall be applicable t o ITPO works
12.	DSR'2012	Shall be applicable to ITPO works
13.	CPWD specifications 2009 part – I & II	Shall be applicable to ITPO works
14.	DSR (Internal) 2012 for Electrical	Shall be applicable to ITPO works
	works	
15.	CPWD specifications (Internal) 2010	Shall be applicable to ITPO works
	for Electrical works	
16.	DSR External 2012 for Electrical works	Shall be applicable to ITPO works
	and specifications	
17.	Provision of Section 12 Sub-Section (i)	Shall be applicable to ITPO works
	of the works man compensation	
18.	CPWD safety Code framed from time	Shall be applicable to ITPO works
	to time	
19.	CPWD maternity benefits to labour	Shall be applicable to ITPO works
20.	Model Rules of the protection of health	Shall be applicable to ITPO works
	and sanitary appointment for workers	
	employed by CPWD	
21.	CPWD contractor labour Regulations	Shall be applicable to ITPO works

MANAGER (Civil)

MANAGER

ADDITIONAL CONDITIONS

- 1. The work shall be carried out strictly as per CPWD specifications 2010, Part I & II with upto date correction slips.
- 2. The contractor shall take approval from the Manager (Civil)/Electrical in writing for collection and stacking of materials.
- 3. The contractor must follow CPWD Safety Code as provided in general conditions of contract for CPWD Works.
- 4. Any damage done by the contractor or his workmen to any existing work during the course of execution of the work shall be made good by him at his own cost.
- 5. Contractor shall clear the site thoroughly of all rubbish etc. left out of his materials immediately on completion of the work and properly clean the site around the building to the satisfaction of the Engg.-in-Charge. Otherwise the site will be cleared by the department at his risk & cost to remove and clean the site.
- 6. The contractor to whom the work is awarded will have to sign the agreement on non judicial stamp papers of Rs.50/- and the cost of such stamp paper will be borne by the contractor.
- 7. Cement bags shall be stacked by the contractor at space provided by ITPO of stipulated quantities at his own cost in his own.
- 8. Cement shall be kept under double lock system in space provided by ITPO fixed with the door. The key of the lock shall remain with representatives of the Engg-in-charge at the site of work and that of other with the contractor or his authorized agent. Day to day issue shall be entered in the prescribed register and signed by the contractor or his authorized agent.
- 9. All incidental charges of any kind whatsoever including cartage, cutting and wastage etc. shall be borne exclusively by the contractor and nothing extra will be paid to him on this account.
- 10. The contractors are required to submit the bill on their printed letter head having detail of TIN & Service Tax No. for release of payment.

Manager (Civil)

SPECIAL CONDITIONS

- 1. The agency should bring full quantity of approved materials like paints, water proofing cement paint. Acrylic Paint etc. of ICI Dulux, Asian Paints, Berger, NITCO, Goodlac, Nerolac & Shalimar & Johnsons & Neklsons.
- 2. Before Start of work, the sample should be got approved by Engineering in charge.
- 3. The testing of materials will be gone done at approved lab and testing charges will be borne by the Agency.
- 4. The defective work will be out rightly rejected and no payment for sub-standard work will be made.
- 5. The quoted rates must be net and for all heights and nothing extra will paid on this account.
- 6. No damages may be made to existing surrounded area and in case any damage found to already finished area, then same is required to be repaired by the agency at their own cost.
- 7. In case of quantities of items increase, the contractor has to bring additional quantities of materials, e.g. paint, water proofing cement paint etc. In case the quantities of item decreases, the contractor has to take back the excess material at his cost and nothing extra shall be paid on this account.

MANAGER (CIVIL)

India Trade Promotion Organisation (Engineering Division)

Categories of Employees

All inclusive Minimum Rates of Wages per day

A. Un-Skilled

1	Mazdoor	Rs. 329.00	Each Per day
2	Mazdoor Coolies	Rs. 329.00	Each Per day
3	Helper to Mason, Fitter Carpenter & Painter	Rs. 329.00	Each per day
4	Any other categories doing un-skilled work	Rs. 329.00	Each per day

B. Semi Skilled

1`	Sewer man	Rs.363.00	Each Per day
2	Chowkidar	Rs. 363.00	Each per day

C. Skilled

1.	Glazier	Rs. 399.00	Each per day
2	Carpenter	Rs. 399.00	Each per day
3	Sanitary Fitter	Rs. 399.00	Each Per day
4	Spray men for Road	Rs. 399.00	Each per day
5	Mason	Rs. 399.00	Each per day
6	Black Smith	Rs. 399.00	Each per day

M (Civil) ITPO Manager (Civil) ITPO

<u>AGREEMENT</u>

Organisation. A co Pragati Maidan No Excluded by the co first party (herei Director	ompany Incorpor ew Delhi-110 001 ontract here of c nafter called t	ated under the c , which expressio and assignees of a he Authority) c	ompanies Act, n shall include and represente and by its sum(which exp	BETWEEN the India 1956 and with its re its successor, unlessed by its Managing ole proprietor/par- pression shall be second party (here	egistered office at s repugnant to or Director, ITPO the tners, Managing including his/its
No				under	
document page	to and h lified by the corre	as represented th	nat in conformi	ne work as above of ty with his/its obliga ntained he/it shall o	tion contained in
THE SAME has been accepted by both the parties on the terms and conditions, corrections, corrigendum contained in the tender as modified as well as the letter of acceptance Issued party No. 1 annexed here to as.					
The same shall be	binding on both	the parties.			
IN WITNESS WHEREOF, the parties have signed the deed of agreement on the date, month and year referred to above.					
At New Delhi. WITNESS					
1 2		Party No			