#### **GOVERNMENT OF INDIA**

# INDIA TRADE PROMOTION ORGANISATION

# NOTICE INVITING TENDER

Item rate tenders are invited on behalf of the CMD, ITPO from approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S., Railways up to 3.00 PM on 29.09.2014, which will be opened on the same day by him (or) his authorized representative at 3.30 PM for the work of Name of work- Misc. civil work at Hall no.-12, 12A,14,18,gate complex no.-5,7,8&10 etc.

The enlistment of the contractors should be valid on the last date of sale of tenders.

In case only the last date of sale of tender is extended, the enlistment of contractor should be valid on the original date of sale of tenders.

In case both the last date of receipt of application and sale of tenders are extended, the enlistment of contractor should be valid on either of the two dates i.e. original date of sale of tender or on the extended date of sale of tenders.

- 1.1 The work is estimated to cost Rs. 6, 56,786/- This estimate, however, is given merely as a rough guide.
- 1.1.1. The authority competent to approve NIT for the combined cost and belonging to the major disciple will consolidate NITs for calling the tenders. He will also nominate Division which will deal with all matters relating to the invitation of tenders.
  - For composite tender, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of tenderer will correspond to the combined estimated cost of different components put to tender.
- 1.2 Tenders will be issued to eligible contractors provided they produce definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-
  - 1.2.1 Conditions for Non CPWD contractors only, if tenders are also open to non-CPWD contractors.

#### For works estimated to cost up to Rs.15 Crore. – not applicable for this work.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 50% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs.10 lac) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

**Note:** For works costing above Rs. 3 crore but up to Rs. 15 crore, when tenders are open to non- CPWD contractors also, then class II contractors of CPWD shall also be eligible if they satisfy the eligibility criteria specified in 1.2.1 above.

# 1.2.2 Criteria of eligibility for CPWD as well as non- CPWD contractors.

### For works estimated to cost above Rs. 15 crore. – not applicable for this work

Three similar works each of the value not less than 40% of estimated cost of two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 10 lac) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of applications for tender

- 2. Agreement shall be drawn with the successful tenderer on prescribed Form No. C.P.W.D. 7/8 which is available as a Govt. of India publication. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **running for one year** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- **4.** The site for the work is available.

OR

The site for the work shall be made available in parts as specified below:

- 3.00 PM and tender documents shall be issued by Manager (Civil) upto 4.00 PM. Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be compiled with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the Manager (Civil) between hours of 11.00 A.M. & 04.00 P.M. from 19.09.2014 to 26.09.2014 everyday except Saturday, Sundays and public Holidays. Tender documents excluding standard form, will be issued from his office, during the hours specified above, on payment of Rs. 525/- in cash as cost of tender.
- 6. (i) Tenders shall be accompanied with Earnest money of Rs. 13,200/-in cash (upto Rs.10000) demand draft of a scheduled bank issued in favour of India Trade Promotion Organisation, New Delhi. (50% of earnest money or Rs.20 lakh, whichever is less, will have to be deposited in the shape prescribed above and balance amount of earnest money can be accepted in the form of Bank guarantee issued by a scheduled bank having validity for 6 months or more from the last date of receipt of tenders).
  - ii) The tender and the earnest money shall be placed in separate sealed envelopes, each marked "Tender" and "Earnest Money" respectively. In cases where earnest money in cash is acceptable, the same shall be deposited with the Cash section of ITPO and the receipt placed in the envelope meant for earnest money. Both the envelopes shall be submitted together in another sealed envelope with the name of work and due date of opening written on envelope,

which will be received by the Manager (Civil) upto 3.00 P.M. on **29.09.2014** and will be opened by him or his authorised representative in his office on the same day at 3.30 P.M. The envelope marked "Tender" of only those tenderers shall be opened, whose earnest money, placed in the other envelope, is found to be in order.

7. The Contractor whose tender is accepted, will be required to furnish performance guarantee of 5% (Five percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount if less than Rs.10, 000/-) OR Demand Draft of any scheduled bank/Pay order of any scheduled bank (in case guarantee amount is less than Rs.1, 00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed from. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

### **8.** The description of the work is as follows:

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- **9.** The competent authority on behalf of the CMD, ITPO does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **10.** Canvassing whether directly or indirectly, in connection with tenders if strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **11.** The competent authority on behalf of CMD, ITPO reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 12. No Engineer of gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to

work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

- 13. The tender for the works shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders/Ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelope system (strike out as the case may be) if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the re-tendering process of the work.
- **14.** This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of:
  - a) The notice inviting tender, all the documents including additional conditions, specification and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
  - b) Standard C.P.W.D. Form 7/8

C K Pandey Manager (Civil)

**CPWD-7**/8

### GOVERNMENT OF INDIA CENTRAL PUBLIC WORKS DEPARTMENT

STATE: Delhi CIRCLE Civil

BRANCH: Engg. DIVISION: CKP

ZONE Head office, Delhi SUB DIVISION: SK

**Percentage Rate Tender** & Contract for Works

Tender for the work of: Misc. civil work at Hall no.-12, 12A, 14, 18, gate complex no.-5, 7, 8&10 etc.

(i)To be submitted	<b>3.00 p.m.</b> (Time)	Hours on	<b>29.09.20</b> (Date		
	nce of tenderers, who may f M (C K Pandey) at Prag		<b>3.30 p.m.</b> w Delhi	Hours on	
Issued to:	(Contractor)				
Signature of officer issuin Designation: Manager (Ca	C				
Date of issue: ` Estimated Cost	29.09.20 Rs 6 5	)14 6. 786/			

### **TENDER**

Rs. 13,200/-

**Earnest Money** 

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F, Specifications applicable, drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule -1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect in accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening and not to make any modifications in its terms and conditions.

A sum of Rs 13,200/- has been deposited as per NIT as earnest money. If I/we, fail to furnish the prescribed performance guarantee within prescribed period, I/we agree that the said President of India or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/we fail to commence work as specified, I/we agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of earnest money or both Earnest Money & Performance Guarantee as aforesaid, I/We shall be debarred for participation in the retendering process of the work.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall no communicate information/derived there from to any person other than a person to whom I/we am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated	Signatures of Contractor
	Postal Address
Witness:	
Address:	
Occupation:	
ACCEPTANCE	
The above tender (as modified by you as provided in the letters me behalf of the President of In Rs(Rupees	ndia for a sum of
The letters referred to below shall form part of this contract Agreem (1) Schedule of Quantities, NIT (2) Additional Conditions. (3) Wages for workers (4) Performa for Agreement and drawing of staircase	For & on behalf of President of India
	Signature
Dated	Designation

ITPO

# **SCHEDULES**

# SCHEDULE 'A'

Schedule of quantities Enclosed

# SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	. Description of item	Quantity	Rates in figures & words at which The material will be charged to the Contractor	Place of issue
2.	2	3	4	5

NIL

# SCHEDULE 'C'

# Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of issue	
1.	2.	3	4	

NIL

#### SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any.

-N/A

#### **SCHEDULE 'E'**

Schedule of component of Cement, Steel, other materials, Labour etc. for price escalation.- Nil

#### CLAUSE 10 CC

Component of Cement – expressed as percent of total value work.	N/A
Component of Steel-expressed as percent of total work. Component of civil (except cement & steel)/Electrical construction Materials-expressed as percent of total value of work.	N/A N/A
Component of labour-expressed as per cent of total value of work.	N/A
Component of P.O.L. – expressed as percent of total value work.	N/A

### **SCHEDULE 'F'**

Reference to General Conditions of contract.

# Name of work: Misc. civil work at Hall no.-12, 12A,14,18,gate complex no.-5,7,8&10 etc.

Estimated cost of work Rs. 6, 56,786/
(i) Earnest money: Rs. 13,200/
(ii) Performance Guarantee 5% of tendered value

(iii) Security Deposit 5% of tendered value

#### **General Rules & Directions:**

Officer inviting tender Manager (Civil) Maximum percentage for quantity of items of work to be executed beyond Which rates are to be determined in accordance with Clauses 12.2 & 12.3 100% **Definitions** 2(v) Engineer-in-Charge Manager (Civil) 2(viii) Accepting Authority As per DFPR Sch. V of ITPO 2(x) Percentage on cost of materials and 15% Labour to cover all overheads and profits. 2(xi) Standard Schedule of Rates DSR-2013 & market rates 2(xii) Department ITPO (Engg.) 9(ii) Standard CPWD contract Form CPWD form 7/8 as modified & corrected upto date Clause 1 (i) Time allowed for submission of Performance Guarantee From the date of issue of letter of acceptance days (ii) Maximum allowable extension beyond the period (Provided in i) above 4 days Clause 2 Authority for fixing compensation under clause 2. GM (W) Clause 2A Whether clause 2A shall applicable No Clause 5 Number of days from the date of issue of letter Acceptance for reckoning date of start days

# Mile stone(s) as per table given below:

# Table of Mile Stone(s)

S1.	Description of	Time allowed in days	Amount to be withheld in case of non
No.	Milestone(Physical)	(from date of start)	achievement of milestone
1.	1/8 <sup>th</sup> (of the whole work)	1/4 <sup>th</sup> (of the whole work)	In the event of not achieving the necessary progress as assessed from the running payments, 1% of the tendered value of work will be withheld for failure of each mile stone.
2.	$3/8^{\text{th}}$ ( - do -)	½ (- do -)	
3.	$3/4^{th}$ (-do-)	3/4 <sup>th</sup> (-do-)	
4.	Full	Full	

			of each mile stone.
2.	3/8 <sup>th</sup> ( - do -)	½ (- do -)	
3.	3/4 <sup>th</sup> (-do-)	3/4 <sup>th</sup> (-do-)	
4.	Full	Full	
Time	allowed for execution	of work	Running for one year
	se <b>6, 6A</b> se applicable – (6 or 6 <i>A</i>	Δ)	Clause 6A
		har with not novment/ediustn	nent N A
		ther with net payment/adjustn	
for be	vance for material colle ging eligible to interim se 10A	ected, if any since the last suc payment	n payment
		be provided by the contractor	r at site lab.
-	se 10 B (ii)	and as per direction of Engine	or menange
Whet	her Clauses 10 B (ii) s	hall be applicable	No
Claus	se 10CA		
Mate	rials covered under this	s clause Nearest Material for Followed	which All India Wholesale Price Index is to be
1		NA	
2			
3			

#### Clause 10CC

Clause 10CC to be applicable in contracts with stipulated period of

Completion exceeding the period show in text column 18 months

Clause 11

Specification to be followed for execution of work

CPWD Specifications 2010, Part I & II with

Up-to-date correction slips.

Clause 12

Deviation limit beyond which clauses 12.2 & 12.3 shall

Apply for building work 50%

Deviation limit beyond which clauses 12.2. & 12.3

Shall apply for foundation work 100%

Clause 16

Competent Authority for deciding reduced rates. DGM (C)

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

As per the site requirement and as per direction of Engineer Incharge

#### Clause 36(i)

S.N.	Minimum qualification of Technical Representative	Discipline	Designation (Principal Technical/Tech nical representative)	Minimum experience	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)
						Figures Words
1.	Graduate Engineer Or	Civil	Principal Technical	Nil	1	15,000/- (Rupees fifteen thousand only) per month
2.	Diploma Holder			5 years	1	

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

#### **CLAUSE 42**

- (i)(a) Schedule/statement for determining theoretical quantity of cement & Bitumen on the basis of Delhi Schedule of Rates DSR 2012 printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities.

a) Cement for works with estimated cost put to Tender not more than Rs. 5 Lakhs 3% plus/minus

For works with estimated cost put to tender More than 5 Lakhs

2% plus/minus

b) Bitumen for all works

2.5% plus only & nil on minus side

c) Steel Reinforcement and structural steel Sections for each diameter, section and category 2% plus/minus

d) All other materials

Nil

# RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S.No.	Description of Item	Rates in figures and words at which recovery shall be made from the contractor	
		Excess beyond permissible variation	Less use beyond the permissible variation
1.	Cement		5800/-ton
2.	Steel reinforcement		L &T, ACC, Laxshmi Cement, CCI, Birla Uttam or equivalent if
3.	Structural Sections		applicable
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed price		

# -13INDIA TRADE PROMOTION ORGANISATION Engineering division

#### **BRIEF NOTICE INVITING TENDER**

**No. 178-**ITPO/Misc/Engg/2014-2015

The Manager (Civil), Engineering Division, Room No. 144, India Trade Promotion Organisation, Pragati Maidan, New Delhi on behalf of CMD, ITPO Percentage rate tenders for the following work from **approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S., Railways.** The details of which briefly described hereunder.

S.N.	Name of work	Time for	Estimated	Earnest	Cost of
		Completion	Cost	Money	Tender
1	Misc. civil work at Hall no12, 12A,14,18,gate	Running for one	6,56,786/-	13,200/-	525/-
	complex no5,7,8&10 etc.	year			

The period of sale of tender document is kept from **11.00 AM to 3.00 PM** on all working days **up to 26.09.2014** with date of opening at **3.30 PM on 29.09.2014**. For further details including downloadable form of tender documents, please refer website <a href="https://www.indiatradefair.com">www.indiatradefair.com</a>. <a href="https://www.eprocure.gov.in">www.eprocure.gov.in</a>

C K Pandey Manager (civil) Room No. 144

**Dated:** - 18-09-2014

# -14INDIA TRADE PROMOTION ORGANISATION Engineering Division

**No.** 178-ITPO/misc. /Engg/2014-15 **Dated: 18.09.2014** 

# DETAILED TENDER NOTICE

The Manager (Civil), Engineering Division, Room No. 144, India Trade Promotion Organisation, Pragati Maidan, New Delhi on behalf of CMD, ITPO **invites sealed** item **rate tenders** for the following work from approved and eligible contractors of ITPO, CPWD and those of appropriate list of Department of Telecommunications, M.E.S., Railways **up to 3.00 PM on 29.09.2014**, which will be opened on the same day by him (or) his authorized representative at **3.30 PM**.

S.	Name of work	Time for	Estimated	Earnest	Cost of
N		Completion	Cost	Money	Tender
1	Misc. civil work at Hall no12, 12A,14,18,gate complex no5,7,8&10 etc.	Running for one year	6,56,786/-	13,200/-	525/-

Earnest Money should be deposited through Bank Draft drawn in favour of India Trade Promotion Organisation, New Delhi (or) cash deposited with the Cashier in Cash Section of ITPO (less than 10,000/-) and Bank Draft/Cash Receipt to be sent with the tender document, while submitting the same.

Conditions and tender forms can be had from the office of the undersigned on production of **PAN NO.**, **Service Tax No & TIN NO** (if applicable), copy of D-vat & Service Tax return/clearance certificate upto date of last quarter between **11.00 AM** to **3.00 PM** on all working days up to **26.09.2014** for the tender cost mentioned as above (Non Refundable).

The tender document is also available on our website <a href="www.indiatradefair.com">www.indiatradefair.com</a> & www.eprocure.gov.in and same can be down loaded and used as tender document for submitting the tender. However, the documents required such as two DDs towards Cost of Tender and Earnest money (Demand Draft should be in favour of India Trade Promotion Organisation, payable at New Delhi) should be enclosed in one envelop to be marked "Cost of tender & Earnest money" as well as Registration with the department as mentioned above, PAN Number, TIN Number, Service Tax Number and copy of D-vat & Service Tax return/clearance certificate upto date of last quarter should be enclosed in another second envelope to be marked "Eligibility Bid" . The Financial bid and schedule of quantities is to be submitted in separate envelopes marked "Financial Bid for.....", for each work specified in the table above.

These envelopes i.e., "Cost of tender & Earnest Money", "Eligibility Bid" and "Financial Bids" should be put in one envelop, properly sealed and submitted to Manager (Civil), Room No.144.

The Financial bids will be opened only of those agencies qualified to tender as per the eligibility criteria. In case the tender is not accompanied with the above and tender does not qualify as per the eligibility criteria, the tender will summarily rejected

(C.K.Pandey) Manager (civil)

# <u>-15-</u> <u>Schedule of Quantities</u>

NAME OF WORK : - R/M & Upkeep of ITPO's Premises at Praga Maidan during 2014-15

SH: Misc. civil works at Hall No. 14,16,18,19, electric sub-station, Gate No. 5, 6, 7,8,10 etc.

Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70 or 3 degree 3	Cum 1483  cum 24609  cum 1836
excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70 or 3 degree of the store	cum 2460
exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70 or 3 degree 3 degree 5 degree 5 degree 5 degree 5 degree 6 degree 6 degree 7 deg	cum 2460
dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	cum 2460
including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70  7 3 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	cum 2460
excavated soil as directed, within a lead of 50 m. 1. All kinds of soil.  2 providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70 coarse sand : 10 graded stone aggregate 5 3,672.80 coarse sand : 10 graded stone aggregate 40 mm nominal size)  7 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	cum 2460
providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 4,921.70 (2) (3) (4) (4) (4) (5) (6) (6) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	cum 2460
providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement: 5 coarse sand: 10 graded stone aggregate 40 mm nominal size)  5 4,921.70  7 3 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	cum 2460
grade excluding the cost of centering and shuttering - All work up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  5 4,921.70  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  7 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
up to plinth level:  1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)  2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
1) 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) 2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) 5 3,672.80 6 7 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
20mm nominal size) 2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  7 Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
2) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)  5 3,672.80  Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
Providing and laying in position ready mixedM-25 grade concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	cum 1836
concrete for reinforced cement concrete work, using cement content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
content as perapproved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the	
of R.M.C. from transit mixer to site of laying, excluding the	
cost of centering, shuttering finishing and reinforcement,	
including cost of admixtures in recommended proportions as	
per IS: 9103 to accelerate/ retard setting of concrete, improve	
workability without impairing strength and durability as per	
direction of the Engineer - in - charge. All works upto plinth	
	cum 4237
4 Brick work with common burnt clay F.P.S. (non modular)	
bricks of class designation 7.5 in superstructure above plinth	
level up to floor V level in all shapes and sizes in :Cement	
	cum 3727
5 Half brick masonry with common burnt clay F.P.S. (non	
modular) bricks of class designation 7.5 in superstructure above	
plinth level up to floor V level.	
	sqm 6479
6 Stone work (machine cut edges) for wall lining etc. (veneer	
work) upto 10 metre height, backing filled with a grout of	
average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse	
sand) including pointing in white cement mortar 1:2 (1 white	
cement : 2 stone dust) with an admixture of pigment matching	
the stone shade: (To be secured to the backing and the sides by	
means of cramps and pins which shall be paid for separately):	
Red sand stone - Exposed face machine cut and table rubbed	

	with rough backing.				
	30 mm thick	20	2,776.40	sqm	55528.00
7	Providing edge moulding to 18 mm thick marble stone		,	1	
	counters, Vanities etc., including machine polishing to edge to				
	give high gloss finish etc. complete as per design approved by				
	Engineer-in-Charge.				
	Marble work	40	124.45	metre	4978.00
8	Providing wood work in frames of false ceiling, partitions etc.				
	sawn and fixed in position:				
	9.3.2 Kiln seasoned and chemically treated hollock wood	0.30	46,436.80	cum	13931.00
9	Extra for providing lipping with 2nd class teak wood battens 25				
	mm minimum depth on all edges of flush door shutters (over all				
	area of door				
	shutter to be measured).	50	348.45	sqm	17423.00
10	Structural steel work riveted, bolted or welded in built up				
	sections, trusses and framed work, including cutting, hoisting,				
	fixing in position and				
	applying a priming coat of approved steel primer all complete.	200	73.65	kg	14730.00
11	Welding by gas or electric plant including transportation of				
	plant at site				
	etc. complete.	1000	2.85	cm	2850.00
12	12 mm cement plaster of mix :				
	1:6 (1 cement: 6 fine sand)	60	133.85	sqm	8031.00
13	15 mm cement plaster on the rough side of single or				
	half brick wall of mix:				
	1:6 (1 cement: 6 fine sand)	60	154.7	sqm	9282.00
14	Washed stone grit plaster on exterior walls height upto 10 metre				
	above ground level, in two layers, under layer 12 mm cement				
	plaster 1:4 (1 cement : 4 coarse sand ), furrowing the under				
	layer with scratching tool, applying cement slurry on the under				
	layer @ 2 Kg of cement per square metre, top layer 15 mm				
	cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand : 2 stone				
	chipping 10 mm nominal size), in panels with groove all around				
	as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings				
	complete as per specification and direction of Engineer-in-				
	charge (payment for providing grooves shall be made				
	separately).	50	492.45	sqm	24623.00
15	Forming groove of uniform size in the top layer of	30	772.73	sqiii	27023.00
	washed stone grit plaster as per approved pattern using wooden				
	battens, nailed to the under layer, including removal of wooden				
	battens, repair to the edges of panels and finishing the groove				
	complete as per specifications and direction of the Engineer-in-				
	charge: 20 mm wide and 15 mm deep groove	100	29.45	metre	2945.00
16	Repairs to plaster of thickness 12 mm to 20 mm in				
10	patches of area 2.5 sq. meters and under, including cutting the				
	patch in proper shape, raking out joints and preparing and				
	plastering the surface of the walls complete, including disposal				
	of rubbish to the dumping ground within 50 metres lead:				
	With cement mortar 1:4 (1 cement : 4 fine sand)	50	221.15	sqm	11058.00
17	Providing and laying 60mm thick factory made cement concrete			1	
	interlocking paver block of M -30 grade made by block making				
	machine with strong vibratory compaction, of approved size,				
	design & shape, laid in required colour and pattern over and				
	including 50mm thick compacted bed of coarse sand, filling the	25	557.45	sqm	13936.00

	joints with fine sand				
	etc. all complete as per the direction of Engineer-in-charge.				
18	Providing and fixing G.I. pipes complete with G.I. fittings and				
	clamps, i/c cutting and making good the walls etc.Internal work				
	- Exposed on wall				
	A. 15 mm dia nominal bore	30	181.35	metre	5441.00
	B. 25 mmdia nominal bore	40	282.3	metre	11292.00
19	Providing and fixing G.I. pipes complete with G.I.				
	fittings including trenching and refilling etc.				
	25 mmdia nominal bore	40	238.95	metre	9558.00
20	Making connection of G.I. distribution branch with				
	G.I. main of following sizes by providing and fixing tee,				
	including cutting and threading the pipe etc. complete :25 to 40				
	mmnominal bore	2	338.9	each	678.00
21	Providing and fixing gun metal gate valve with C.I.				
	wheel of approved quality (screwed end):				
	25 mmnominal bore	4	427.8	each	1711.00
22	Providing and fixing ball valve (brass) of				
	approved quality, High or low pressure, with plastic floats				
	complete : A. 25 mm nominal bore	4	446.95	each	1788.00
23	Constructing masonry Chamber 90x90x100 cm inside,				
	in brick work in cement mortar 1:4 (1 cement : 4 coarse sand)				
	for sluice valve, with C.I. surface box 100 mm top diameter,				
	160 mm bottom diameter and 180 mm deep (inside) with				
	chained lid and RCC top slab 1:2:4 mix (1 cement : 2 coarse				
	sand: 4 graded stone aggregate 20 mm nominal size), i/c				
	necessary excavation, foundation concrete 1:5:10 (1 cement : 5				
	fine sand: 10 graded stone aggregate 40 mm nominal size) and				
	inside plastering with cement mortar 1:3 (1 cement : 3 coarse				
	sand) 12 mm thick, finished with a floating coat of neat cement				
	complete as per standard design: With common burnt clay				
	F.P.S.(non modular) bricks of class designation 7.5	1	11,128.55	each	11129.00
24	Providing and fixing G.I. Union in G.I. pipe including cutting		,		
	and threading the pipe and making long screws etc. complete				
	(New work):				
	A. 15 mmnominal bore	6	155.65	each	934.00
24					
	B. 25 mmnominal bore	6	190.45	each	1143.00
25	Cutting holes up to 30x30 cm in walls including making good				
	the same:	10	106.4	1	2257.00
26	With common burnt clay F.P.S. (non modular) bricks	12	196.4	each	2357.00
26	Providing and fixing aluminium work for doors,				
	windows, ventilators and partitions with extruded built up				
	standard tubular sections/ appropriate Z sections and other				
	sections of approved make conforming to IS: 733 and IS: 1285,				
	fixing with dash fasteners of required dia and size, including				
	necessary filling up the gaps at junctions, i.e. at top, bottom and				
	sides with required EPDM rubber/ neoprene gasket etc.				
	Aluminium sections shall be smooth, rust free, straight, mitred				
	and jointed mechanically wherever required including cleat				
	angle, Aluminium snap beading for glazing / paneling, C.P.				
	brass / stainless steel screws, all complete as per architectural				
	drawings and the directions of Engineer-in-charge. (Glazing,				
	paneling and dash fasteners to be paid for separately):		_		
	A. For fixed portion Anodised aluminium (anodised	25	343.7	kg	8593.00

	Minimum anodiccoating of grade AC 15)				
26	B. For shutters of doors, windows & ventilators including				
	providing and fixing hinges/ pivots and making provision for				
	fixing of fittings wherever required including the cost of EPDM				
	rubber / neoprene gasket required (Fittings shall be paid for				
	separately)				
	separately)				
	Anodised aluminium (anodised transparent or dyed to required				
	shade according to IS: 1868, Minimum anodic				
	coating of grade AC 15)	15	397.75	kg	5966.00
27	Providing and fixing glazing in aluminium door,	13	371.13	ĸg	3700.00
21	window, ventilator shutters and partitions etc. with EPDM				
	· •				
	rubber / neoprene gasket etc. complete as per the architectural				
	drawings and the directions of engineer-in-charge. (Cost of				
	aluminium snap beading shall be paid in basic item):	1.5	1 000 00		15125.00
20	With float glass panes of 5.50 mm thickness	15	1,009.00	sqm	15135.00
28	Removal of malba, building rubbish, mooram etc. by				
	mechanical transportation from Pragati Maidan to dumping				
	ground with all lift & lead of 15 Km complete as per the				
	direction of Engineer in charge.	30	205.45	Cum	6164.00
29	Providing & placing of Rectangular shape 600x450 mm pre cast				
	R.C.C. manhole cover with frame E.H.D (Extra heavy duty) as				
	per the direction of Engineer in charage.	10	1108.05	each	11081.00
30	P/F special quality M.S. godown lock with seven levers i/c				
	necessary nuts and bolts/screws etc. complete and as per the				
	direction of Engineer in charge. (Best make of approved				
	quality) a) 150 mm size.	4	450	each	1800.00
31	P/F CP Brass Health Faucet with flexible stainless				
	steel lose & hook of CERA make (Code no.CG 205) or				
	equivalent as per the direction of Engineer in charge. a) 15mm				
	nominal bore.	6	789.8	each	4739.00
32	P/F CP Brass Paper holder of CERA make (Code CA 106) or				.,,,,,,,,,
	equivalent as per the direction of Engineer in charge.	6	789.8	each	4739.00
33	Supplying of cut to size window/door glass panes at Pragati	J	707.0	cacii	1733.00
	Maidan i/c carriage etc. complete and as per the direction of				
	Engineer in charge. a) Float glass panes 6.00 mm thick				
	(weighing not less than 15.00 kg.	30	737.32	Sqm	22120.00
34		50	30		1500.00
3 <del>4</del> 35	Supplying Glass putty of aprove quality.	30	30	kg	1300.00
33	Renewing glass panes, with putty and nails wherever necessary	20	1010	Carre	20570.00
26	(fo all heights) (a) Float glass of thickness 6.00 mm.	30	1019	Sqm	30570.00
36	P/F Superior quality clear Glass brick of size 200x200x100 mm				
	& just match with existing design with white cement/adhesive				
	i/c removing of broken glass bricks & all heights complete as		• • • •		
	per the direction of Engineer in charge.	25	280	Each	7000.00
37	Taking out existing CC interlocking paver blocks from				
	footpath/central verge, including removal of rubbish etc.,				
	disposal of unserviceable material to the dumping ground for				
	which payment shall be made separately and stacking of				
	serviceable material within 50 metre lead as per direction of				
	Engineer in charge.	100	43.65	Sqm	4365.00
38	Laying old cement concrete interlocking paver blocks of any				
	design/shape laid in required line, level, curvature, colour and				
	pattern over and i/c 50 mm thick compacted bed of coarse sand,				
1					

	direction of Engineer in charge. (Old CC paver blocks shall be				
20	supplied by department free of cost).				
39	P/Placing SFRC cover and frame (heavy duty) HD-20 grade designation) of circular in shape 560mm internal dia confirming				
	to IS 12592, total weight of cover and frame to be not less than				
	182 kg, fixed in cc 1:2:4 (1 cement: 2 coarse sand: 4 graded				
	stone aggregate 12.5 mm nominal size) complete as per the				
	direction of Engineer in charge.	10	1251.44	Each	12514.00
40	P/F panel board with flush bolt, hooks & poles for concealed	10	1231.77	Lacii	12314.00
70	flushing cistern of Camay 2615 model CERA make with				
	necessary screws etc. complete as per the direction of Engineer				
	in charage.	8	2,060.20	Each	16482.00
41	P/F cistern panel with panel frame for conceald flushing cistern	J	2,000.20	Buch	10.102.00
11	of camay model code no.2615 of CERA with necessary plastic				
	screws etc. complete as per the direction of Engineer in charge.	13	1,766.22	Each	22961.00
42	Providing and fixing Ist quality ceramic glazed wall tiles	13	1,700.22	Lacii	22701.00
12	conforming to IS: 15622 (thickness to be specified by the				
	manufacturer), of approved make, in all colours, shades except				
	burgundy, bottle green, black of any size as approved by				
	Engineer-in-Charge, in skirting, risers of steps and dados, over				
	12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse				
	sand) and jointing with grey cement slurry @ 3.3kg per sqm,				
	including pointing in white cement mixed with pigment of				
	matching shade complete.	15	793.6	sqm	11904.00
43	Demolishing cement concrete manually/ by mechanical means	_		1	
	including disposal of material within 50 metres lead as per				
	direction of Engineer - in - charge.				
	A. Nominal concrete 1:3:6 or richer mix (i/c equivalent design				
	mix)	5	806.35	Cum	4032.00
	B. Nominal concrete 1:4:8 or leaner mix (i/c equivalent design				
	mix)	6	497.15	Cum	2983.00
44	Providing and fixing concertina coil fencing with punched tape				
	concertina coil 600 mm dia 10 metre openable length (total				
	length 90 m), having 50 nos rounds per 6 metre length, upto 3				
	m height of wall with existing angle iron 'Y' shaped placed 2.4				
	m or 3.00 m apart and with 9 horizontal R.B.T. reinforced				
	barbed wire, stud tied with G.I. staples and G.I. clips to retain				
	horizontal, including necessary bolts or G.I. barbed wire tied to				
	angle iron, all complete as per direction of Engineer-in-charge,				
	with reinforced barbed tape(R.B.T.) / Spring core (2.5mm				
	thick) wire of high tensile strength of 165 kg/ sq.mm with tape				
	(0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S.				
	angle, C.C. blocks shall be paid separately)	30	269.20	Meter	8076.00
45	Providing and fixing C.P. brass long body bib cock of approved				
	quality conforming to IS standards and weighing not less than	_			
	690 gms. A. 15 mmnominal bore	5	430.60	Each	2153.00
46	Providing and fixing double action hydraulic floor spring of				
	approved brand and manufacture conforming to IS: 6315,				
	having brand logo embossed on the body / plate with double				
	spring mechanism and door weight upto 125 kg, for doors,				
	including cost of cutting floors, embedding in floors as required				
	and making good the same matching to the existing floor				
	finishing and cover plates with brass pivot and single piece				
	M.S. sheet outer box with slide plate etc. complete as per the	_	1.052.00		0765.00
	direction of Engineer-in-charge.	5	1,953.00		9765.00

	21.4.1 With stainless steel cover plate minimum 1.25 mm				
	thickness			Each	
47	Removing & desmentling of concertina coil fencing with				
	punched tape concertina coil 600 mm dia 10 metre openable				
	length (total length 90 m), having 50 nos rounds per 6 metre				
	length, upto 3 m height of wall with existing angle iron 'Y'				
	shaped placed 2.4 m or 3.00 m apart and with 9 horizontal				
	R.B.T. reinforced barbed wire, stud tied with G.I. staples and				
	G.I. clips to retain horizontal, including necessary bolts or G.I.				
	barbed wire tied to angle iron, all complete as per direction of				
	Engineer-in-charge, with reinforced barbed tape(R.B.T.) /				
	Spring core (2.5mm thick) wire of high tensile strength of 165				
	kg/sq.mm with tape (0.52 mm thick) and weight 43.478 gm/				
	metre (cost of M.S.				
	angle, C.C. blocks shall be paid separately)	100	27.50	Meter	2750.00
48	Providing and fixing horizontal RBT stud/tape 0.52mm thick				
	and weight 43.478gm/ meter over the existing tied with GI				
	staples and GI clips to retain horizontal i.c necessary bolts or GI				
	barbed wire tied to angle iron all complete and as per the				
	direction of engineer incharge.	500	16.40	Meter	8200.00
49	P/F urinal partition made of toughened glass 12mm thick of size				
	90 x 45 mm i/c make hole for necessary brackets of SS 304 nut				
	& bolts and making edges round etc complete and as per the				
	direction of engineer incharge.	2	2,768.00	Each	5536.00
50	Providing and Fixing soft close seat cover of ROCA or				
	equivalent(code no. R07916)required for Wall Hung W.C. of				
	roca or equvalent i/c necessary fitting etc complet.(wall Hung				
	WC shall be paid for separately)	5	5,620.00	Each	28100.00
51	P/F white/ ivory colour vitreous china wall hung type water				
	closet(European type w.c. pan) with all necessary fitting &				
	fixtures require for fixing of w.c. and other specials of standard				
	make and of approved municipal design complet i/c cutting and				
	making good the wall and floors wherever required and as per				
	the direction of engineer incharge.				
	a) wall w.c. of ROCA or equiv. (code No. RS 3465170)	1	10,990.60	Each	10991.00
52	P/F cp push plate with all necessary fitting & fixtures required				
	for fixing of WC & cisternof ROCA or equivalent(code No.				
	R490299/R490126)	4	3,163.00	Each	12652.00
-			TOTAL		656786.00

Note- The rates should be quoted exclusive of service tax as applicable

M (SK) M (CKP)

# -21INDIA TRADE PROMOTION ORGANISATION (Engineering Division)

# CORRIGENDUM TO FORM 7/8/9 (CPWD) MUST BE READ ALONGWITH THE PAMPHLET

S.No.	FOR	READ
1.	Government of India	India Trade Promotion Organisation
2.	C.P.W.D. or Government	India Trade Promotion Organisation
3.	CPWD -7/8/9	CPWD 7/8/9
4.	President/President of India	C.M.D ITPO
5.	Chief-Engineer	General Manager (Works)
6.	Superintending Engineer	Dy. General Manager (Civil)/SM (Civil)
7.	Engineer-in-charge/Divisional	Manager (Civil)
	Engineer/Executive	
	Engineer/Divisional Office	
8.	Sub-Divisional Officer/Asstt. Engineer	Deputy Manager (Civil)
9.	Administration Head	C.M.D. /General Manager
10.	Ministry of Works & Housing	ITPO /Ministry of Commerce
11.	CPWD Code, Paragraph'90	Shall be applicable to ITPO works
12.	DSR'2012	Shall be applicable to ITPO works
13.	CPWD specifications 2009 part – I & II	Shall be applicable to ITPO works
14.	DSR (Internal) 2012 for Electrical	Shall be applicable to ITPO works
	works	
15.	CPWD specifications (Internal) 2010	Shall be applicable to ITPO works
	for Electrical works	
16.	DSR External 2012 for Electrical works	Shall be applicable to ITPO works
	and specifications	
17.	Provision of Section 12 Sub-Section (i)	Shall be applicable to ITPO works
	of the works man compensation	
18.	CPWD safety Code framed from time	Shall be applicable to ITPO works
	to time	
19.	CPWD maternity benefits to labour	Shall be applicable to ITPO works
20.	Model Rules of the protection of health	Shall be applicable to ITPO works
	and sanitary appointment for workers	
	employed by CPWD	
21.	CPWD contractor labour Regulations	Shall be applicable to ITPO works

MANAGER (CIVIL)

MANAGER (Civil)

# **ADDITIONAL CONDITIONS**

- 1. The work shall be carried out strictly as per CPWD specifications 2012, Part I & II with upto date correction slips.
- 2. The contractor shall take approval from the Manager (Civil)/Electrical in writing for collection and stacking of materials.
- 3. The contractor must follow CPWD Safety Code as provided in general conditions of contract for CPWD Works.
- 4. Any damage done by the contractor or his workmen to any existing work during the course of execution of the work shall be made good by him at his own cost.
- 5. Contractor shall clear the site thoroughly of all rubbish etc. left out of his materials immediately on completion of the work and properly clean the site around the building to the satisfaction of the Engg.-in-Charge. Otherwise the site will be cleared by the department at his risk & cost to remove and clean the site.
- 6. The contractor to whom the work is awarded will have to sign the agreement on non judicial stamp papers of Rs.50/- and the cost of such stamp paper will be borne by the contractor.
- 7. Cement bags shall be stacked by the contractor at space provided by ITPO of stipulated quantities at his own cost in his own.
- 8. Cement shall be kept under double lock system in space provided by ITPO fixed with the door. The key of the lock shall remain with representatives of the Engg-in-charge at the site of work and that of other with the contractor or his authorized agent. Day to day issue shall be entered in the prescribed register and signed by the contractor or his authorized agent.
- 9. All incidental charges of any kind whatsoever including cartage, cutting and wastage etc. shall be borne exclusively by the contractor and nothing extra will be paid to him on this account.
- 10. The quoted rates must be net and for all heights and nothing extra will paid on this account.

11.The contractors are required to submit the bill on their printed letter head having detail of TIN & Service Tax No. for release of payment

Manager (Civil)

# India Trade Promotion Organisation (Engineering Division)

# Categories of Employees

# All inclusive Minimum Rates of Wages per day

# A. Un-Skilled

1	Mazdoor	Rs. 329.00	Each Per day
2	Mazdoor Coolies	Rs. 329.00	Each Per day
3	Helper to Mason, Fitter Carpenter & Painter	Rs. 329.00	Each per day
4	Any other categories doing un-skilled work	Rs. 329.00	Each per day

# B. Semi Skilled

1`	Sewer man	Rs.369.00	Each Per day
2	Chowkidar	Rs.369.00	Each per day

# C. Skilled

1.	Glazier	Rs. 399.00	Each per day
2	Carpenter	Rs. 399.00	Each per day
3	Sanitary Fitter	Rs. 399.00	Each Per day
4	Spray men for Road	Rs. 399.00	Each per day
5	Mason	Rs. 399.00	Each per day
6	Black Smith	Rs. 399.00	Each per day

M (Civil) ITPO Manager (Civil) ITPO

# <u>-24-</u>

# **AGREEMENT**

Organisation. A c at Pragati Maidar or Excluded by th the first party (her	ompany Inco n New Delhi-1 e contract he einafter calle	orporated under to 10 001, which expere of and assigned to the Authority)	the companie oression shall i ees of and rep and by its sole	es Act, 1956 and not	ne India Trade Promo d with its registered o essor, unless repugna Managing Director, tners, Managing Dire cluding his/its succes	ffice nt to ITPO ector
					(hereinafter called	
WHEREAS					Notification	No.
						••••
document page	to and and additional by the	d has represented e correction slips	d that in conf	ormity with his/it	above as per the te s obligation contained the/it shall carryout	ed in
corrigendum con	THE SAME has been accepted by both the parties on the terms and conditions, corrections, corrigendum contained in the tender as modified as well as the letter of acceptance Issued party No. 1 annexed here to as.					
The same shall be	binding on b	ooth the parties.				
IN WITNESS WHERE referred to above	•	ies have signed t	he deed of a	greement on th	e date, month and	year
At New Delhi. WITNESS						
1			ty No. 1			
2.		Ful	ty No. 2			

# <u>-25-</u> PERFORMA TO BE ATTACHED WITH NIT

To,	
Sub: NIT N	Nofor the work
Dear Sir,	
It public prod	is hereby declared that ITPO is committed to follow the principle of transparency, equity and competitiveness in curement.
integrity A	The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Agreement, which is an integral part of tender/bid documents, failing which the tenderer/bidder will stand d from the tendering process and the bid of the bidder would be summarily rejected.
	The declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as the and signing of the Integrity Agreement on behalf of the ITPO.
	Yours faithfully,
	Manager (Civil)

# -26-PERFORMA TO BE SIGNED BY BIDDER WITH BID

TEN ONINK TO BE SIGNED BY BIBBER WITH BIB
To,
Manager (Civil)/Manager (Electrical)
Sub: Submission of Tender for the work of
Dear Sir,
I/We acknowledge that ITPO is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.
I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/we will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT>
I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and districts from the main contract, which will come into existence when tender/bid is finally accepted by ITPO. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.
I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, ITPO shall have unqualified, absolute and unfettered right to disqualify the tender/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.
Yours faithfully,
(Duly authorized Signatory of the Bidder)

# To be signed by the bidder and same signatory competent/authorized to sign the relevant contract on behalf of ITPO

#### **INTEGRITY AGREEMENT**

This Integrity Agreement is made aton thisday of20
BETWEEN
President of India represented through Manager (Civil)/Manager (Electrical),
India Trade Promotion Organisation, Pragati Maidan, New Delhi, (Hereinafter referred as the ' <b>Principal/Owner</b> ', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)  AND
(Name and Address of the Individual/firm/Company)  Through(Hereinafter referred to as the (Details of duly authorized signatory)  "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
Preamble
WHEREAS the Principal/Owner has floated the Tender (NIT No) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for
(Name of work) Hereinafter referred to as the "Contract".

**AND WHEREAS** the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

**AND WHEREAS** to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "**Integrity Pact**" or "**Pact**"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

**NOW, THEREFORE**, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

### ARTICLE 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe e the following principles:
- a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promose for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender Process or the Contract execution.
- c) The Principal/Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal Code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### **Article 2: Commitment of the Bidder(s)/Contractor(s)**

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government/Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
- b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain) or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose (with each tender as per proforma enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such
  offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudlent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process)

#### **Article 3: Consequences of Breach**

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender Process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

# **Article 4: Previous Transgression**

- The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach ro with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
- 3) If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

#### Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### Article 6 - Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, ITPO.

#### Article 7 - Other Provisions

- This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Principal/Owner, who
  has floated the Tender.
- Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, thje parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement/Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

#### Article 8 - LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the same of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/Owner)			
(For and on behalf of Bidder/Contractor) WITNESSES:			
	1. 2.	(Signature, name and address) (Signature, name and address)	
Place:			
Dated:			